	Application No.	Applicant(s)	
Notice of Allowability	10/762,527	KIM ET AL.	
	Examiner	Art Unit	
	Trang U. Tran	2622	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to November 14, 2008. The allowed claim(s) is/are 1-15.	ears on the cover sheet w (OR REMAINS) CLOSED in or other appropriate communication is	n this application. If not include unication will be mailed in due	ed course. THIS
<u> </u>	- d 05 H 0 0 0 440(-) (d)	(6)	
 Acknowledgment is made of a claim for foreign priority until a) ☐ All b) ☐ Some* c) ☐ None of the: 	nder 35 U.S.C. § 119(a)-(d)	or (†).	
a) ☑ All b) ☐ Some c) ☐ Notice of the. 1. ☑ Certified copies of the priority documents have	heen received		
2. ☐ Certified copies of the priority documents have		on No	
3. ☐ Copies of the certified copies of the priority do			tion from the
International Bureau (PCT Rule 17.2(a)).		a in tine national stage applica	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submin INFORMAL PATENT APPLICATION (PTO-152) which give	MENT of this application. itted. Note the attached EX	AMINER'S AMENDMENT or N	
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted		
(a) ☐ including changes required by the Notice of Draftspers		w (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date	-	,	
(b) including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1			hook) of
each sheet. Replacement sheet(s) should be labeled as such in t			e Dack) of
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 			Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)		nformal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413), ./Mail Date <u>01/23/2009</u> .	
3. National Information Disclosure Statements (PTO/SB/08),		s Amendment/Comment	
Paper No./Mail Date4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.	s Statement of Reasons for Allo	owance

Application/Control Number: 10/762,527 Page 2

Art Unit: 2622

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Larry Galvin on January 23, 2009.

The application has been amended as follows:

In claim 9:

Line 3, the phrase "converting a data rate" has been changed to --converting, in a first filter, a data rate--,

Line 6, the phrase "outputting the digital IF" has been changed to --outputting, in the first filter, the digital IF--,

Line 9, the phrase "multiplying the first" has been changed to --multiplying, in a multiplier, the first--,

Line 11, the phrase "generating a first baseband" has been changed to -- generating, in the multiplier, a first baseband--,

Line 13, the phrase "receiving the first" has been changed to --receiving, in a second filter, the first--,

Lines 13-14, the phrase "controlling their signal-to-noise ratios (SNRs), and shifting frequency bands" has been changed to --controlling, in the second filter, signal-

Art Unit: 2622

to-noise ratios (SNRs) of the first and second basebands signals, and shifting, in a sorter, frequency bands --,

Line 16, the phrase "combining the frequency-shifted" has been changed to -combining, in a remover, the frequency-shifted--,

Line 17, the phrase "removing a direct-current (DC)" has been changed to -removing, in the remover, a direct-current (DC)--,

Line 18, the phrase "changing and outputting a sampling rate" has been changed to --changing and outputting, in a controller, a sampling rate --,

Line 20, the phrase "receiving the first and second" has been changed to -receiving, in a first restorer, the first and second--,

Lines 20-21, the phrase "detecting frequency offsets from the carrier, and generating the complex sinewave" has been changed to --detecting, in the first restorer, frequency offsets from the carrier, and generating, in the first restorer, the complex sinewave --,

Line 23, the phrase "receiving the signal obtained in the combining step and generating the" has been changed to --receiving, in a second restorer, the signal obtained in the combining step and generating, in the second restorer, the---.

These changes will place this application in condition for allowance.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Trang U. Tran whose telephone number is (571) 272-7358. The examiner can normally be reached on 9:00 AM - 6:30 PM, Monday to Friday.

Application/Control Number: 10/762,527 Page 4

Art Unit: 2622

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lin Ye can be reached on (571) 272-7372. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

January 31, 2009

/Trang U. Tran/ Primary Examiner, Art Unit 2622